

2024 Energy Use Data Town of Aurora Municipal Buildings over 1,000 square feet							
Property	Address	Primary Use Type	Gross Floor Area (square feet)	Site Energy Use Intensity (kBtu/ft ²)	Weather Normalized Source EUI (kBtu/ft ²)	Annual Greenhouse Gas Emissions (Metric Tons CO _{2e})	Energy Performance Score
West Falls- Colden Community Center	1966 Davis Rd West Fall, NY 14170	Social/Meeting Hall	2,056	116.2	193	11.61	N/A
Aurora Highway Garage	251 Quaker Rd East Aurora, NY 14052	Other – Public Services	9,168	104.9	139.2	50.25	N/A
Aurora Parks Garage	251 B Quaker Rd East Aurora, NY 14052	Other – Public Services	7,200	49.1	77.9	17.59	N/A
Aurora Senior Center	587 Oakwood Ave East Aurora, NY 14052	Social/Meeting Hall	15,440	66.8	112.1	49.91	N/A
Aurora Community Pool	690 South Street East Aurora, NY 14052	Swimming Pool	2,400	39.8	91.9	3.93	N/A
Aurora Town- Village Hall	575 Oakwood Ave East Aurora, NY 14052	Other - Public Services	20,500	36.3	68.4	34.44	N/A

During 2024, municipal buildings in the Town of Aurora over 1,000 square feet used a total of 245,106 kWh of electricity, 1,489.80 kcf of natural gas, emitting a total of 167.73 Metric Tons CO_{2e}.